



**Hong Kong
Security Watch Report**

Q3 2016

Foreword

Better Security Decision with Situational Awareness

Nowadays, a lot of “invisible” compromised computers are controlled by attackers with the owner being unaware. The data on these computers may be mined and exposed every day, and the computers may be utilized in different kinds of abuse and criminal activities.

The Hong Kong Security Watch Report aims to provide the public a better “visibility” of the situation of the compromised computers in Hong Kong so that they can make better decision in protecting their information security.

The data in this report is about the activities of compromised computers in Hong Kong which suffer from, or participate in various forms of cyber attacks, including web defacement, phishing, malware hosting, botnet command and control centres (C&C) or bots. Computers in Hong Kong are defined as those whose network geolocation is Hong Kong, or the top level domain of their host name is “.hk” or “.香港”.

Capitalizing on the Power of Global Intelligence

This report is the fruit of the collaboration of HKCERT and global security researchers. Many security researchers have the capability to detect attacks targeting their own or their customers’ networks. Some of them provide the information of IP addresses of attack source or web links of malicious activities to other information security organizations with an aim to collaboratively improve the overall security of the cyberspace. They have good practice in sanitizing personal identifiable data before sharing information.

HKCERT collects and aggregates such valuable data about Hong Kong from multiple information sources for analysis with Information Feed Analysis System (IFAS), a system developed by HKCERT. The information sources (Appendix 1) are very distributed and reliable, providing a balanced reflection of the security status of Hong Kong.

We remove duplicated events reported by multiple sources and use the following metrics for measurement to assure the quality of statistics.

Type of Attack	Metric used
Defacement, Phishing, Malware Hosting	Number of security events on unique URLs within the reporting period
Botnet command and control centres (C&C)	Number of security events on unique IP addresses within the reporting period

Bots	<p>Sum of the number of individual bots as recorded with the reporting period.</p> <p>The number of individual bots is the maximum of the daily number of security events on unique IP addresses.</p>

Better information better service

We will continue to enhancing this report with more valuable information sources and more in-depth analysis. We will also explore how to use the data to enhance our services. *Please send us your feedback via email (hkcert@hkcert.org).*

Limitations

The data collected in this report is from multiple different sources with different collection method, collection period, presentation format and their own limitations. The numbers from the report should be used as a reference, and should neither be compared directly nor be regarded as a full picture of the reality.

Disclaimer

Data may be subject to update and correction without notice. We shall not have any liability, duty or obligation for or relating to the content and data contained herein, any errors, inaccuracies, omissions or delays in the content and data, or for any actions taken in reliance thereon. In no event shall we be liable for any special, incidental or consequential damages, arising out of the use of the content and data.

License

The content of this report is provided under Creative Commons Attribution 4.0 International License. You may share and adopt the content for any purpose, provided that you attribute the work to HKCERT.

<http://creativecommons.org/licenses/by/4.0/>



Table of Content

Highlight of Report	4
Report Details.....	9
1. Defacement	9
1.1 Summary	9
2. Phishing	11
2.1 Summary	11
3. Malware Hosting	13
3.1 Summary	13
4. Botnet.....	15
4.1 Botnets – Command & Control Servers.....	15
4.2 Botnets – Bots	16
Appendices.....	18
Appendix 1 – Sources of information	18
Appendix 2 – Geolocation identification methods.....	18
Appendix 3 – Major Botnet Families	19

Highlight of Report

This report is for Quarter 3 of 2016.

In 2016 Q3, there were 6,774 unique security events related to Hong Kong used for analysis in this report. The information was collected with IFAS¹ from 19 sources of information.² They are not from the incident reports received by HKCERT.

Trend of security events




Figure 1-Trend of security events

The total number of security events in Q3 2016 decreased significantly by 68% or 14,214 events. The sharp decrease was due to two reasons. First, the data from CleanMX, which is one of our major sources of phishing events and malware hosting events, was temporarily unavailable in this quarter, leading to a huge drop in server related security events. Second, in the same period, the number of botnet (bots) events dropped significantly by 29%. As a result, the number of security events reached an all-time low of 6,774.

Server related security events

Server related security events include malware hosting, phishing and defacement. Their

¹ IFAS Information Feed Analysis System is a HKCERT developed system that collects global security intelligence relating to Hong Kong for analysis.

² Refer to Appendix 1 for the Sources of Information

trends and distributions are summarized below:

Trend and Distribution of server related security events




Figure 2 –Trend and distribution of server related security events

The number of server related security events decreased from 17,291 to 4,137 (decreased by 76%) in Q3 2016.

As mentioned in the previous section, the drop in number was due to the unavailability of one of our major data sources. It could not be interpreted as an improvement in server related security events. The number server events contributed from CleanMX data feed in Q2 2016 was 13,801 (80% of total server events).

In this quarter, the most popular TLD for phishing event was “.cc”. It is the first time a TLD other than “.com” was ranked number one. Most of the events were from a free domain registrar “.usa.cc”.

“.cc” is the country code top-level domain (ccTLD) of for Cocos (Keeling) Islands, an Australian territory. However, it was being abused for malicious purpose. According to Anti-Phishing Working Group (APWG) Phishing Attack Trends Reports Q2 2014³, 1% of all malicious domains were from “.cc”.

The situation of one of its second level domain, “.co.cc” was even more serious. The “.co.cc”

³ http://docs.apwg.org/reports/apwg_trends_report_q2_2014.pdf

subdomain is managed by the CO.CC company, which provided free and discounted domains. Since a high proportion of websites using “.co.cc” were malicious, all “.co.cc” websites were blocked by Google since 2011⁴. The domain then suddenly shut down at 2012⁵. Now all .co.cc domains were redirected to .cc.cc domains.



HKCERT urges system and application administrators to protect the servers.

- patch server up-to-date to avoid the known vulnerabilities being exploited.
- update web application and plugins to the latest version
- follow best practice on user account and password management
- implement validation check for user input and system output
- provide strong authentication, e.g. two factor authentication, at administrative control interface
- acquire information security knowledge to prevent social engineering

Botnet related security events

Botnet related security events can be classified into two categories:

- Botnet Command and Control Centres (C&C) security events – involving small number of powerful computers, mostly servers, which give commands to bots
- Bots security events – involving large number of computers, mostly home computers, which receive commands from C&C.

Botnet Command and Control Servers

The trend of botnet C&C security events is summarized below:

⁴ http://www.theregister.co.uk/2011/07/06/google_cans_11m_dot_co_dot_cc_sites/

⁵ <http://snat.co.uk/others/farewell-co-cc.html>

Trend of Botnet (C&Cs) security events




Figure 3 –Trend of Botnet (C&Cs) related Security Events

The number of botnet Command and Control Servers decreased this quarter.

There were 2 C&C servers reported in this quarter. Both were identified as IRC bot C&C servers

Botnet Bots

The trend of botnet (bots) security events is summarized below:

Trend of Botnet (Bots) security events




Figure 4 - Trend of Botnet (Bots) Security Events

Number of Botnet (bots) on Hong Kong network decreased this quarter. The number of events of Bedep, which was the third botnet last quarter, dropped the most by 86% or 290 events. Four other botnets recorded a decrease of 11-28% too. (Figure 12) However, the botnet Nivdort botnet appeared in the chart for the first time.

Nivdort is a Trojan that steals sensitive information silently in the target systems. Nivdort spreads through spam emails. In early 2016, researchers discovered a spamming campaign sending malicious zip files pretending to be a vouchers or Whatsapp message.⁶ If the malicious file is opened, it will try to infect the system with Nivdort.

Once infected, Nivdort can disable the firewall notifications from the Windows Security Center. It will collect sensitive information of the victims including login credentials and credit card information.



HKCERT urges users to protect computers so as not to become part of the botnets.

- patch their computers
- install a working copy of security software and scan for malware on their machines
- set strong passwords to avoid credential based attack
- do not use Windows, media files and software that have no proper licenses
- do not use Windows and software that have no security updates
- do not open files from unreliable sources

HKCERT has been following up the security events received and proactively engaged local ISPs for the botnet clean up since June 2013. Currently, botnet cleanup operations against major botnet family - Pushdo, Citadel, ZeroAccess, GameOver Zeus and Ramnit are still in action.

HKCERT urges general users to join the cleanup acts. Ensure your computers are not being infected and controlled by malicious software.

Protect yourself and keep the cyberspace clean.



Users can use the HKCERT guideline to detect and clean up botnets

- Botnet Detection and Cleanup Guideline
<https://www.hkcert.org/botnet>

⁶ <https://blogs.mcafee.com/mcafee-labs/nivdort-data-stealing-trojan-arrives-via-spam/>

Report Details

1. Defacement

1.1 Summary

Trend of Defacement security events




Figure 5 –Trend of Defacement Security Events



What is defacement?

- Defacement is the unauthorized alteration of the content of a legitimate website using hacking method.

What are the potential impacts?

- The integrity of the website content is damaged.
- Original content might be inaccessible
- Reputation of the website owner might be damaged
- Other information stored / processed on the server might be further compromised by the hacker to perform other attacks.

URL/IP ratio of Defacement security events




Figure 6 - URL/IP Ratio of Defacement Security Events



What is URL/IP ratio?

- It is the number of security events count in unique URL divided by the number of security events count in unique IP addresses

What can this ratio indicate?

- Number of events counted in unique URL cannot reflect the number of compromised servers, since one server may contain many URL
- Number of events counted in unique IP address can better related to the number of compromised servers
- The higher the ratio is, the more mass compromise happened

Sources of Information:

- Zone - H

2. Phishing

2.1 Summary

Trend of Phishing Security Events




Figure 7 –Trend of Phishing Security Events

Note:

As mentioned in page 4, the drop in number in Q3 2016 was due to the unavailability of CleanMX data that is a major source of phishing and malware hosting event. It could not be interpreted as an improvement in phishing events.



What is Phishing?

- Phishing is the spoofing of a legitimate website for fraudulent purpose

What is the potential impact?

- Personal information or account credentials of visitors might be stolen, leading to financial loss.
- Original content might be inaccessible
- Reputation of the website owner might be damaged
- Server might be further compromised to perform other attacks.

釣魚網站安全事件唯一網址/IP比




Figure 8 - URL/IP Ratio of Phishing Security Events



What is URL/IP ratio?

- It is the number of security events count in unique URL divided by the number of security events count in unique IP addresses

What can this ratio indicate?

- Number of events counted in unique URL cannot reflect the number of compromised servers, since one server may contain many URL
- Number of events counted in unique IP address can better related to the number of compromised servers
- The higher the ratio is, the more mass compromise happened

Sources of Information:

- ArborNetwork – Atlas SRF
- CleanMX – phishing
- Millersmiles
- Phishtank

3. Malware Hosting

3.1 Summary

Trend of Malware Hosting Security Events




Figure 9 –Trend of Malware Hosting Security Events

As mentioned in page 4, the drop in number in Q3 2016 was due to the unavailability of CleanMX data that is a major source of phishing and malware hosting event. It could not be interpreted as an improvement in malware hosting events.



What is Malware Hosting?

- Malware Hosting is the dispatching of malware on a website

What is the potential impact?

- Visitors might download and install the malware, or execute the malicious script to get compromised.
- Original content might be inaccessible
- Reputation of the website owner might be damaged
- Server might be further compromised to perform other criminal activities.

URL/IP ratio of Malware Hosting Security Events




Figure 10 - URL/IP Ratio of Malware Hosting Security Events



What is URL/IP ratio?

- It is the number of security events count in unique URL divided by the number of security events count in unique IP addresses

What can this ratio indicate?

- Number of events counted in unique URL cannot reflect the number of compromised servers, since one server may contain many URL
- Number of events counted in unique IP address can better related to the number of compromised servers
- The higher the ratio is, the more mass compromise happened

Sources of Information:

- Abuse.ch: Zeus Tracker – Binary URL
- Abuse.ch: SpyEye Tracker – Binary URL
- CleanMX – Malware
- Malc0de
- MalwareDomainList
- Sacour.cn

4. Botnet

4.1 Botnets – Command & Control Servers

Trend and Distribution of Botnet (C&Cs) security events




Figure 11 –Trend and Distribution of Botnet (C&Cs) Security Events



What is a Botnet Command & Control Centre?

- A Botnet Command & Control Centre is a server used by cybercriminals to control the bots, which are compromised computers, by sending them commands to perform malicious activities, e.g. stealing personal and financial information or launching DDoS attacks.

What is the potential impact?

- Server might be heavily loaded when many bots connect to it.
- Server might contain large amount of personal and financial data stolen by other bots.

Sources of Information:


- Zeus Tracker
- SpyEye Tracker
- Palevo Tracker
- Shadowserver – C&Cs

4.2 Botnets – Bots

4.2.1 Major Botnet Families⁷ found on Hong Kong Networks

Individual botnet's size is calculated from the maximum of the daily counts of unique IP addresses attempting to connect to the botnet in the report period. In other words, the real botnet size should be larger because not all bots are powered on within the same day.

Major Botnet Families in Hong Kong Network



Rank	↑↓	Concerned Bots	Number of Unique IP addresses (Max count in a Quarter)	Changes with previous period
1	-	Conficker	1,461	-11%
2	↑	Zeus	281	20%
3	↑	Pushdo	177	-23%
4	↑	ZeroAccess	176	-14%
5	↑	Sality	150	-28%
6	↑	Corebot	88	110%
7	NEW	Nivdort	62	NA
8	-	Palevo	55	12%
9	↓	Bedep	48	-86%
10	↑	Ramnit	42	40%

Figure 12 –Major Botnet Families in Hong Kong Networks

⁷ Major Botnet Families are selected botnet families with considerable amount of security events reported from the information sources constantly across the reporting period.

Trend of Top 5 Botnet Families in Hong Kong Network




Figure 13 – Trend of Top 5 Botnet Families in Hong Kong Network



What is a Botnet - Bot?

- A bot is usually a personal computer that is infected by malicious software to become part of a botnet. Once infected, the malicious software usually hide itself, and stealthy connect to the Command & Control Server, to get the instruction from hackers.

What is the potential impact?

- Computer owner's personal and financial data might be stolen which may lead to financial loss.
- Computer might be commanded by attacker to perform other criminal activities.

Sources of Information:

- ArborNetwork – Atlas SRF – Conficker
- ShadowServer – botnet_drone
- ShadowServer – sinkhole_http_drone
- ShadowServer – Microsoft_sinkhole

Appendices

Appendix 1 – Sources of information

The following information feeds sources

Event Type	Source	First introduced
Defacement	Zone - H	2013-04
Phishing	ArborNetwork: Atlas SRPhishing	2013-04
Phishing	CleanMX – Phishing	2013-04
Phishing	Millersmiles	2013-04
Phishing	Phishtank	2013-04
Malware Hosting	Abuse.ch: Zeus Tracker – Binary URL	2013-04
Malware Hosting	Abuse.ch: SpyEye Tracker – Binary URL	2013-04
Malware Hosting	CleanMX – Malware	2013-04
Malware Hosting	Malc0de	2013-04
Malware Hosting	MalwareDomainList	2013-04
Malware Hosting	Sacour.cn	2013-04
Botnet (C&Cs)	Abuse.ch: Zeus Tracker – C&Cs	2013-04
Botnet (C&Cs)	Abuse.ch: SpyEye Tracker – C&Cs	2013-04
Botnet (C&Cs)	Abuse.ch: Palevo Tracker – C&Cs	2013-04
Botnet (C&Cs)	Shadowserver C&Cs	2013-09
Botnet(Bots)	Arbor Network: Atlas SRF–Conficker	2013-08
Botnet(Bots)	Shadowserver botnet_drone	2013-08
Botnet(Bots)	Shadowserver sinkhole_http_drone	2013-08
Botnet(Bots)	Shadowserver microsoft_sinkhole	2013-08

Appendix 2 – Geolocation identification methods

We use the following methods to identify if a network's geolocation is in Hong Kong.

Method	Last update
Maxmind	2016-10-4

Appendix 3 – Major Botnet Families

Major Botnets	Alias	Nature	Infection Method	Attacks / Impacts
Bamital	Nil	Trojan	<ul style="list-style-type: none"> • drive-by download via exploit kit • via P2P network 	<ul style="list-style-type: none"> • Click fraud • Search hijacking
BankPatch	<ul style="list-style-type: none"> • MultiBanker • Patcher • BankPatcher 	Banking Trojan	<ul style="list-style-type: none"> • via adult web sites • corrupt multimedia codecs • spam e-mail • chat and messaging systems 	<ul style="list-style-type: none"> • monitor specific banking websites • steal banking credentials and sensitive information
Bedep	Nil	Trojan	<ul style="list-style-type: none"> • via exploit kit • malvertising 	<ul style="list-style-type: none"> • click fraud • download other malwares
BlackEnergy	Nil	DDoS Trojan	<ul style="list-style-type: none"> • rootkit techniques to maintain persistence • uses process injection technique • strong encryption and modular architecture 	<ul style="list-style-type: none"> • launch DDoS attacks
Citadel	Nil	Banking Trojan	<ul style="list-style-type: none"> • avoid and disable security tool detection 	<ul style="list-style-type: none"> • steal banking credentials and sensitive information • keystroke logging • screenshot capture • video capture • man-in-the-browser attack • ransomware

Conficker	<ul style="list-style-type: none"> • Downadup • Kido 	Worm	<ul style="list-style-type: none"> • domain generation algorithm (DGA) capability • communicate via P2P network • disable security software • spread via removable drives using "autorun" feature 	<ul style="list-style-type: none"> • exploit the Windows Server Service vulnerability (MS08-067) • brute force attacks for admin credential to spread across network
Corebot	Nil	Banking Trojan	<ul style="list-style-type: none"> • via droppers 	<ul style="list-style-type: none"> • steal sensitive information • install other malwares • backdoor capabilities that allow unauthorized access
Dyre	Nil	Banking Trojan	<ul style="list-style-type: none"> • spam e-mail 	<ul style="list-style-type: none"> • steal banking credential by tricking the victim to call an illegitimate number • send spams
Gamarue	<ul style="list-style-type: none"> • Andromeda 	Downloader/Worm	<ul style="list-style-type: none"> • via exploit kit • spam e-mail • MS Word macro • removable-drives 	<ul style="list-style-type: none"> • steal sensitive information • allow unauthorized access • install other malware
Glupteba	Nil	Trojan	<ul style="list-style-type: none"> • drive-by download via Blackhole Exploit Kit 	<ul style="list-style-type: none"> • push contextual advertising and clickjacking to victims
IRC Botnet	Nil	Trojan	<ul style="list-style-type: none"> • communicate via IRC network 	<ul style="list-style-type: none"> • backdoor capabilities that allow unauthorized access • launch DDoS attack • send spams
Nivdort	Nil	Trojan	<ul style="list-style-type: none"> • spam e-mail 	<ul style="list-style-type: none"> • steal login credentials and sensitive information

Nymaim	Nil	Trojan	<ul style="list-style-type: none"> • spam e-mail • malicious link 	<ul style="list-style-type: none"> • lock Infected systems • stop victims from accessing files • ask for ransom
Palevo	<ul style="list-style-type: none"> • Rimecud • Butterfly bot • Pilleuz • Mariposa • Vaklik 	Worm	<ul style="list-style-type: none"> • spread via instant messaging, P2P network and removable drives 	<ul style="list-style-type: none"> • backdoor capabilities that allow unauthorized access • steal login credentials and sensitive information • steal money directly from banks using money mules
Pushdo	<ul style="list-style-type: none"> • Cutwail • Pandex 	Downloader	<ul style="list-style-type: none"> • hiding its malicious network traffic • domain generation algorithm (DGA) capability • distribute via drive by download • exploit browser and plugins' vulnerabilities 	<ul style="list-style-type: none"> • download other banking malware (e.g. Zeus and SpyEye) • launch DDoS attacks • send spams
Ramnit	Nil	Worm	<ul style="list-style-type: none"> • file infection • via exploit kits • public FTP servers 	<ul style="list-style-type: none"> • backdoor capabilities that allow unauthorized access • steal login credentials and sensitive information
Sality	Nil	Trojan	<ul style="list-style-type: none"> • rootkit techniques to maintain persistence • communicate via P2P network • spread via removable drives and shares 	<ul style="list-style-type: none"> • send spams • proxying of communications • steal sensitive information

			<ul style="list-style-type: none"> • disable security software • use polymorphic and entry point obscuring (EPO) techniques to infect files 	<ul style="list-style-type: none"> • compromise web servers and/or coordinating distributed computing tasks for the purpose of processing intensive tasks (e.g. password cracking) • install other malware
Slenfbot	<ul style="list-style-type: none"> • Nil 	Worm	<ul style="list-style-type: none"> • spread via removable drives and shares 	<ul style="list-style-type: none"> • backdoor capabilities that allow unauthorized access • download financial malware • sending spam • launch DDoS attacks
Tinba	<ul style="list-style-type: none"> • TinyBanker • Zusy 	Banking Trojan	<ul style="list-style-type: none"> • via exploit kit • spam e-mail 	<ul style="list-style-type: none"> • steal banking credential and sensitive information
Torpig	<ul style="list-style-type: none"> • Sinowal • Anserin 	Trojan	<ul style="list-style-type: none"> • rootkit techniques to maintain persistence (Mebroot rootkit) • domain generation algorithm (DGA) capability • distribute via drive by download 	<ul style="list-style-type: none"> • steal sensitive information • man in the browser attack
Virut	Nil	Trojan	<ul style="list-style-type: none"> • spread via removable drives and shares 	<ul style="list-style-type: none"> • send spams • launch DDoS attacks • fraud • data theft

Wapomi	<ul style="list-style-type: none"> • Nil 	Worm	<ul style="list-style-type: none"> • spread via removable drives and shares • infects executable files 	<ul style="list-style-type: none"> • backdoor capabilities • download and drop additional destructive payloads • alter important files causing unreliable system performance • gather computer activity, transmit private data and cause sluggish computer
ZeroAccess	<ul style="list-style-type: none"> • max++ • Sirefef 	Trojan	<ul style="list-style-type: none"> • rootkit techniques to maintain persistence • communicate via P2P network • distribute via drive by download • distribute via disguise as legitimate file (eg. media files, keygen) 	<ul style="list-style-type: none"> • download other malware • bitcoin mining and click fraud
Zeus	<ul style="list-style-type: none"> • Gameover 	Banking Trojan	<ul style="list-style-type: none"> • stealthy techniques to maintain persistence • distribute via drive by download • communicate via P2P network 	<ul style="list-style-type: none"> • steal banking credential and sensitive information • man in the browser attack • keystroke logging • download other malware (e.g. Cryptolocker) • launch DDoS attacks